



# INDEX MAPS.

## T. 4N R. 3W 2<sup>nd</sup> Mer.



## T. 5N R. 3W 2<sup>nd</sup> Mer.



The figures on the lines refer to the page.

Township N<sup>o</sup> 4. North of Range N<sup>o</sup> 3 West of the D. Mer. Sec  
Ch<sup>o</sup>. l<sup>o</sup>.

### South Boundary

West	On the South Boundary of Sec. 36. T. N <sup>o</sup> 4. R. 3 W.
40.00	Set a post for the cor. to $\frac{1}{4}$ Sec. from which a Passage? 5 in. dist. bears N 63 E. 8 links dist; and a do 8 " " " N 66 W. 22 " "
79.50	Intersect the N & S line
80.00	Set a post for the cor. of Sec. 35. & 36. T. N <sup>o</sup> 4. R. 3 W. from which a Hickory 8 in. dist. bears N 60 W. 16. lks dist and a do 11 " " " N 52 Land is level soil good. Timber Oak, Buck, Ash Sugar &c
West	On the South Boundary of Sec. 35. T. N <sup>o</sup> 4. R. 3 W.
20.00	Land same as above
40.00	Set a post for the cor. to $\frac{1}{4}$ Sec. from which a Hickory 10 in. dist. bears East 28 links dist; & a do. 14 " " " N 77 W. 48 " "
61.00	To a Brook 10 links wide, Corner N. W.
79.40	Intersect the N & S line
80.00	Set a post for the cor. of Sec. 34 & 35 T. N <sup>o</sup> 4. R. 3 W. from which a W. Ash 12 in. dist. bears N 25 E. 12 lks dist and a do. do. 10 " " " S 11 E. 15 " " Land steep poor hills Timber Oak, Buck, &c.
West	On the South Boundary of Sec. 34. T. N <sup>o</sup> 4. R. 3 W.
11.00	To about 12 links wide, Corner S. W. Poor hill land
40.00	Set a post for the cor. to $\frac{1}{4}$ Sec. from which a Buck 18 in. dist. bears S 27 W. 46 links dist; & a Sugar 10 " " " N 16 E. 28 " "
50.00	First rate level hill land.
70.12	To the Left Bank of White River. Set a post for the cor. of Sec 34. T. N <sup>o</sup> 4. R. 3 W. from which a Sugar 16 in. dist. bears S 15 W. 10 links dist; and a

T. N. 4. N. R. N. 3 W. 2<sup>nd</sup> Mer. Ind.

	made a Sugar 10 in. air bears N 56 E. 17 lks dist; Good bottom land; Low slash. Timber Oak, ash, Sugar, Buck, &c
80.00	On the West side or Right Bank of White River Cor of sec. 33 & 34.
West	On the South Boundary of sec. 33. T. N. 4. N. R. 3 W.
40.00	Set a post for the cor. to 1/4 sec. from which a Buck. 10 in air bears N 74 W. 22 links dist; and a do. 10 " " " S 66 E. 21 " "
62.75	To a Brook. 7 links wide, Course South.
75.00	Middle of hill land.
79.00	Intersected the N. 83 line.
80.00	Set a post for the cor. of sec. 32 & 33. T. N. 4. N. R. 3 W. from which a Sugar. 13 in. air bears N 66 W. 12 lks dist and a Buck. 13 " " " N 82 E. 24 " " Good bottom land; Timber Buck, Oak, Sugar, &c
West	On the South Boundary of sec. 32. T. N. 4. N. R. 3 W.
78.6	To a Brook. 150 links wide, Course S. E.
32.46	To the Right Bank of White River. Good bottom land
40.65	Over to the Left " " " "
74.11	Cross a Bend of White River Irish rate, bottom land Timber Buck, Sugar &c.
80.00	Cor. of sec. 31 & 32 in White River.
West	On the South Boundary of sec. 31. T. N. 4. N. R. 3 W.
2.00	To the Right Bank of White River. Set a post from which a Red Buck 10 in air bears S 21 E. 12 links dist; & a Sugar 13 " " " N 6 W. 24 " "
40.00	Set a post for the cor. to 1/4 sec. from which a Buck. 14 in. air bears N 46 E. 8 links dist; and a Hickory 14 " " " N 88 W. 28 " "



40.00	Rolling hill lands to bottom
65.00	To a creek 30 miles wide, Come North Good bottom
79.10	Intersect the Range line 21 miles South of the Iron Cor. Good bottom Land; Timber Buck, Oak, ash, &c.
North	Return Sec 34 & 35 T. N. 4. N. R. N. 37.
5.06	To a Hick 18 in. dia. in the line.
6.50	To a creek 8 miles wide, Come West.
40.00	Set a post for the cor. to 1/4 Sec. from which a Buck 18 in. dia. bears N 22 E. 23 miles dist; to No. 12 " " " S 45 E. 10 " "
47.00	Buck hill lands to bottom
75.60	To a Sycamore 60 in. dia. stands in the line
79.20	To the Left Bank of White River & set a post from which Sage 14 in. dia. bears S 88 W. 10 miles dist; & a No. 10 " " " S 50 E. 20 " " Land good bottom Offset North & East; then run.
East	Return Sec 26 & 35 T. N. 4. N. R. N. 37.
10.00	To Buck. bottom.
40.00	Set a post for the cor. to 1/4 Sec. from which a Hick 18 in. dia. bears N 23 E. 46 miles dist; to No. 12 " " " S 30 W. 28 " "
46.00	To a Brook. 12 miles wide, Come N 70 W.
48.00	Land. 200 miles to the South a Large Sulphur Spring. its strong alkali impregnates the for 300. or 400 yards.
73.00	Intersect the Indian Boundary line and set a post for the cor. of Sec 26 & 35 from which a Buck 10 in. dia. bears N 83 E. 17 miles dist; and a No. 10 " " " S 55 W. 38 " " Land good. Buck. hills.

T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. Ind.

North	Between Secs 35 & 36. T. N <sup>o</sup> 4. N.R. N <sup>o</sup> 3 W.
27.03	To a Buck. 14 in. dia. stands in the line.
40.00	Set a post for the cor. to 1/4 sec. from which a Buck 10 in. dia. bears S 29 E. 24 miles due; to Loc. 11 " " " North 8 " "
50.21	To a Buck. 18 in. dia. in the line.
77.64	Intersect the Indian Boundary line and set a post for the cor. of sec. 35 & 36. from which a Buck 8 in. dia. bears N 47 W. 13 miles due; to Loc. 16 " " " South 20 " "
	Go to high hills; Timber Oak Buck & etc.
North	On the East Boundary of Sec 36 T. N <sup>o</sup> 4. N.R. N <sup>o</sup> 3 W.
12.00	To a Buck 12 in. dia. Course East.
30.32	To a Sugar. 14 in. dia. stands in the line.
40.00	Set a post for the cor. to 1/4 sec. from which a Sugar. 12 in. dia. bears N 13 E. 15 miles due; and a Loc. 18 " " " S 42 W. 44 " "
51.32	Intersect the Indian Boundary line and set a post for the cor. of sec. 36 from which a Buck. 18 in. dia. bears S 35 W. 9 miles due; and a Loc 17 " " " N 18 W. 40 " "
	Middling soil of hill lands. Timber Oak Buck, Sugar
East	From the cor. of sec. 35 & 36. T. N <sup>o</sup> 4. N.R. N <sup>o</sup> 3 W. Run East in the Old line.
31.00	To a Small L. Oak Course North.
83.94	To post cor. of sec. 36. T. N <sup>o</sup> 4. N.R. N <sup>o</sup> 3 W. Go to high steep hill. Stony cor. Timber Oak & Buck to
	Set a post for the cor. to 1/4 sec. at the new measure on the above line, from which a W. Walnut 7 in. dia. bears S 59 W. 12 miles due; and a

Buck 12 in. diam. bears N 71 E. 17 links each; and

From the cor. of sec. 35 & 36. T. N. 4. N. W. N. 37. Westwardly in Old line

7.23 To the post at the end of line between Sec. 26 & 35

15.50 To a Buck 10 links wide, Course S. W.

41.92 Set a post for the cor. 6 1/4 Sec. from which

Buck. 11 in. diam. bears S 62 W. 3 links each; and

Sec. 10 " " " N 62 E. 3 " "

67.97 To old post numbered 45.

70.30 To the Left Bank of White River & set a post from which

Sec. 10 in. diam. bears S 37 W. 10 links each; and

Sec. 13 " " " S 13 E. 8 " "

Good Buck, full line.

From the last named post run the following courses on the Left Bank of White River.

S 24 W. 20.00 at 13.00 ch. a Buck. 50 links wide,

S 55 W. 5.15 To the post. in line of sec. 34 & 35. T. N. 4. N. W. N. 37. thence in Sec. 34

S 53 W. 9.00

S 74 W. 20.00

S 62 W. 8.00

S 72 W. 11.00

S 50 W. 24.00

In Sec. 34

S 17 W. 25.00

S 35 W. 15.00

S 23 E. 7.00

S 60 E. 6.35 To the South Corner of sec. 34 T. N. 4. N. W. N. 37.

North Between Sec. 32 & 33. T. N. 4. N. W. N. 37.

37.5 To a Buck. 12 in. diam. in the line

11.00 To Buck bottom

38.15 To a log 12 in. diam. in the line.



T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 3 7<sup>th</sup> 2<sup>nd</sup> Mer. Ind<sup>o</sup>

40.00	Set a post for the cor. to 1/4 sec. from which a 4 Buck. 13 in. dia: bears S 27 <sup>th</sup> . 45 miles dist; and a Poplar 36" " " North 38, " "
80.00	Set a post for the cor. of sec. 28, 29, 33, 134 from which a Sugar 10 in. dia: bears S 59 E. 20 miles dist; and a Buck 16" " " N 47 <sup>th</sup> . 10 " " Poor steep hills; Timber Oak & Buck.
North	Return Sec. 28 & 29 T. N <sup>o</sup> 4. N.R. N <sup>o</sup> 2 7 <sup>th</sup> .
25.00	To a Rock. 140 thick side, Corner Wash.
31.86	To a Hick 20 in. dia: stands in the line
40.00	Set a post for the cor. to 1/4 sec. from which a Oak 20 in. dia: bears South 7 miles dist; and a Hick 17. 22" " " N 16 <sup>th</sup> . 15 " "
60.49	To a Buck. 20 in. dia: in the line.
65.00	To a Brook. 150 thick side Corner S.E.
78.60	Enter set the Indian Boundary line and set a post for the cor. of sec. 28 & 29. from which a Buck 10 in. dia: bears N 10 E. 19 miles dist; and a Oak 16" " " S 18 <sup>th</sup> . 13 " " Land level, good quality; Timber Buck,
North	Return Sec. 33 & 34 T. N <sup>o</sup> 4. N.R. N <sup>o</sup> 3 7 <sup>th</sup> .
21.00	The line runs in White iron.
35.00	Bottom lands Timber Buck.
40.00	Set a post for the cor. to 1/4 sec. from which a Buck. 12 in. dia: bears S 79 E. 15 miles dist; & a Oak 14" " " S 57 <sup>th</sup> . 21 " "
48.74	To a Poplar. 50 in. dia: in the line.
59.00	Over point of hill to a Brook 4 thick side, Corner S.E.
68.78	To a Sugar. 20 in. dia: in the line.
80.00	Set a post for the cor. of sec. 27, 28, 33 & 34 from which a Buck 7 in. dia: bears S 60 <sup>th</sup> . 7 miles dist; & a

	<p>Beck 9 in. dia? bears N 41 E. 38 hnts dist;</p> <p>Good Beck, 2<sup>nd</sup> bottom. Some Sugar Oak &amp;c.</p>
<p>East</p> <p>35.00</p> <p>80.00</p>	<p>On a Run some time between Sec. 28. 133. T. N. 4. N. R. N. 3 W.</p> <p>Poor hill land.</p> <p>Intersect the N. S. line at the post cor. of Sec. 27. 28. 33. 34</p> <p>Good Beck lands of Good quality.</p>
<p>North</p> <p>10.64</p> <p>25.00</p> <p>40.00</p> <p>43.61</p> <p>52.00</p>	<p>Between Sec. 27. &amp; 28. T. N. 4. N. R. N. 3 W.</p> <p>To a W. Oak 24 in. dia? in the line.</p> <p>" " Brook 7 hnts wide, Corner S. E.</p> <p>Set a post for the cor. to 1/4 sec. from which a</p> <p>Logmoose 6 in. dia? bears S 29 E. 6 hnts dist; to</p> <p>Poplar 28 " " " North 3 " "</p> <p>To a Beck 14 in. dia? in the line.</p> <p>Intersect the Indian Boundary line &amp; set a post for</p> <p>the cor. of Sec. 27. 28. from which a</p> <p>Beck. 27 in. dia? bears N 33 W. 19 hnts dist; to</p> <p>Ln. 14 " " " S 17 E. 30 " "</p> <p>Points of hills, middling soil. Sugar Oak, Beck</p> <p>Heck, Sugar, Beck &amp;c.</p>
<p>West</p> <p>29.00</p> <p>41.92</p> <p>83.89</p>	<p>On the Indian Boundary line. North Boundary of pre-</p> <p>Section 28. T. N. 4. N. R. N. 3 W.</p> <p>To a Brook 12 hnts wide, Corner S. W. High</p> <p>dividing ridges. poor soil.</p> <p>Set a post for the cor. to 1/4 sec. from which a</p> <p>Beck 9 in. dia? bears S 79 W. 15 hnts dist; also a</p> <p>Ln. 14 " " " S 32 E. 13 " "</p> <p>To the post cor. of Sec. 28. &amp; 29. Sand lies in Cornridge</p> <p>Good soil</p>
<p>East</p>	<p>Between Sec. 27. 134 T. N. 4. N. R. N. 3 W.</p>



T. N<sup>o</sup> 4. N. R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer, Ind<sup>y</sup>

- 40.00 Set a post for the cor. to 1/4 sec. from which a  
 1/4 sec. 18 in. air beam S 37 W. 12 miles due; & a  
 Buck 12, " " N 47 E. 20 " "  
 44.00 Good soil of Buck hill lands.  
 53.00 To a Brook 40 miles wide, Course South.  
 67.50 To the Right Bank of White River. Good bottom land  
 Timber Buck, Sugar &c  
 79.92 Intersect the N. & S line at the post cor. of sec. 26, 27, 34  
 & 35. T. N<sup>o</sup> 4. N. R. N<sup>o</sup> 3 W.

- North Return Sec. 26 & 27 T. N<sup>o</sup> 4. N. R. N<sup>o</sup> 3 W.  
 8.40 To the Right Bank of White River.  
 24.80 Intersected the Indian Boundary line & set a post for  
 the cor. of sec. 26 & 27. T. N<sup>o</sup> 4. N. R. N<sup>o</sup> 3 W. from which a  
 Buck 12 in. air beam N 43 W. 4 miles due; and a  
 Co. 17, " " S 42 W. 4 " "  
 Good Buck Bottom from this post on the Old line  
 to White River 8.50 ch.

- West On the Indian Boundary line, N Boundary of sec.  
 27. T. N<sup>o</sup> 4. N. R. N<sup>o</sup> 3 W.  
 10.00 Bottom same as above  
 31.00 To a large Spring course South.  
 34.00 To a Brook 16 miles wide, Course South.  
 41.92 Set a post for the cor. to 1/4 sec. from which a  
 Sugar 8 in air beam S 16 W. 17 miles due; & a  
 Buck. 14, " " N 72 E. 20 " "  
 Good steep hills, poor soil.  
 83.88 Set a post for the cor. of sec. 27 & 28. T. N<sup>o</sup> 4. N. R. N<sup>o</sup> 3 W.  
 Good low Buck ridges poor soil.

Corrected the line between Sec. 28. 133. T. N<sup>o</sup> 4. N. R. N<sup>o</sup> 3 W.  
 Set a post at the app. dist. in the true line for the cor.

T. N. 4. N. R. N. 37. 2<sup>nd</sup> Mer. Ind.

	to $\frac{1}{4}$ Sec. from which a Buck. 7 in. diam. bears S68 W. 14 miles dist; & a Loc. 14, " " N36 E. 41 " "
North	Between Sec. 31 & 32 T. N. 4. N. R. N. 37.
1.20	To the Right Bank of White River.
27.30	To a Gum 12 in. diam. stands in the line.
40.00	To a R. Oak 30, " " " " " for the cor. to $\frac{1}{4}$ Sec. from which a W. Oak. 14 in. diam. bears S42 E. 27 miles dist; & a W. Ash. 15, " " N33 W. 24 " "
62.81	To a Hickory 11 in. diam. stands in the line.
80.00	Set a post for the cor. off Sec. 29. 30. 31. & 32 from which a W. Oak. 20 in. diam. bears N62 E. 21 miles dist; & a Loc. 17 " " " S68 W. 46. " " High Hill Land; middling soil; Timber. Oak, Hick, Walnut &c.
East	Between Sec. 29 & 32 T. N. 4. N. R. N. 37.
21. 00	Goil & lumber as before to the bottom
75. 00	To a Cough. 146 bushels, Corna South.
80. 00	Intersect the N & S line 12 miles North of the post cor. of Sec. 28, 29, 32, & 33. Bottom lands of a good quality Timber Buck. Oak Sugar &c
West	Corrected the line between Sec. 29 & 32 T. N. 4. N. R. N. 37.
40. 00	Set a post for the cor. to $\frac{1}{4}$ Sec. at the aver. dist on the true line from which a Buck. 11 in. diam. bears N15 W. 27 miles dist; and a Loc. 15 " " " S8 E. 27 " "
North	Between Sec. 29 & 30 T. N. 4. N. R. N. 37.
40. 00	Set a post for the cor. to $\frac{1}{4}$ Sec. from which a

T. N. 4. N. R. N. 3. W. 2<sup>nd</sup> Mer. Ind.<sup>o</sup>

- Buck. 13 in. dist. bears N 10 W. 46 miles dist; & a  
 Do. 7 " " " S 74 E. 41 " "  
 Lande poor brushy knots  
 40.95 To a Sugar 14 in. dist. in the line.  
 43.00 To a Creek 40 miles wide, Course East  
 80.00 Set a post for the cor. of sec. 19, 20, 29, & 30 from which  
 a Sugar 10 in. dist. bears N 5 E. 39 miles dist; & a  
 Buck 9 " " " S 13 E. 34 " "  
 Good hill and bottom lande. Timber Buck, Oak & Sugar.
- 

- North Between Sec. 19 & 20 T. N. 4. N. R. N. 3 W.  
 25.00 Intersect the Indian Boundary line; & set a post  
 for the cor. of sec. 19 & 20 from which a  
 W. Oak 17 in. dist. bears N 28 E. 45 miles dist; & a  
 Do. 14 " " " N 57 W. 59 " "  
 Bushy hill lande middling soil; Timber Oak & Do
- 

- East Between Sec. 20 & 29 T. N. 4. N. R. N. 3 W.  
 40.00 Set a post for the cor. 6 1/4 Sec. from which a  
 Buck 9 in. dist. bears N 62 E. 20 miles dist; and a  
 Do. 17 " " " N 70 W. 34 " "  
 74.54 Intersected the Indian Boundary and set a post for the  
 cor. of sec. 20 & 29 from which a  
 Buck 14 in. dist. bears S 12 W. 14 miles dist; and a  
 Do. 10 " " " N 46 W. 43 " "  
 Lande steep hills middling soil on the last 15 chs  
 Balance land 1<sup>st</sup> rate hill lande; Timber Buck, Sugar,  
 Ash, &c.
- 

- West On the Indian Boundary line N. Boundary of sec. 29 &  
 20 T. N. 4. N. R. N. 3 W.  
 3.00 To a Creek 40 miles wide, Course E.  
 5.40 To post cor. of sec. 20 & 29 T. 4 N. R. 3 W.



T. N. 4. N. R. N. 3 W. 2nd Mer., Ind.:

- 41.92 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Buck. 24 in. dia. bears S 41 N. 15 W. 150 yds; to  
 L. 13 " " " N 10 E. 22 " "  
 83.93 To the post cor. of Sec. 19 & 20. T. N. 4. N. R. N. 3 W.  
 Sande hilly and middling soil. Timber Oak,  
 Buck &c.

- West On the Indian Boundary on the N. Corner of Sec. 19  
 T. N. 4. N. R. N. 3 W.  
 12.70 To a post numbered 41.  
 41.92 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Buck. 13 in. dia. bears S 27 E. 35 yds; to  
 L. 10 " " " N 30 E. 18 " "  
 84.00 Set a Random post. Sande hilly, soil not very  
 good; Timber Oak, Buck, & Uprun etc.

- West Between Sec 19 & 30 T. N. 4. N. R. N. 3 W.  
 11.00 Hill lands to bottom.  
 24.00 To a bush 30 yds. miles, corner South.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Sassafras 5 in. dia. bears S 61 E. 11 yds; to  
 L. 7 " " " N 66 W. 13 " "  
 64.50 To a Bush 7 yds. miles, corner S.E.  
 80.00 Set a Random post. Sande hilly soil mid-  
 dling quality. Timber Oak, Buck, Sugar etc.

- West Between Sec 30 & 31 T. N. 4. N. R. N. 3 W.  
 5.00 To bottom  
 22.00 To a Bush 20 yds. miles, corner N.  
 29.00 To Bottom rather low.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Sugar 10 in. dia. bears S 85 W. 29 yds; to  
 L. 10 " " " N 77 E. 18 " "

T. N. 4. N. R. N. 3 W. 2<sup>nd</sup> Mer. (Ind.)

80.00 Set a temporary post Pine hill lands; Timber  
Sugar Walnut, Oak &c.

North On the East Boundary of sec. 36. T. N. 4. N. R. N. 4 W.

28.77 To a B Oak 18 in. diam. in the line.

40.00 Set a post for the cor. to 74 sec. from which a  
Syc. 10 in. diam. bears S 8 E. 49 links dist; to  
B. Oak 10 " " " N 29 W. 74 " "

79.82 Intersected the E & W line 108 links East of the  
temporary post. and set a post for the cor. of sec.  
30 & 31. T. N. 4. N. R. N. 3 W. from which a  
Syc. 12 in. diam. bears S 23 W. 420 links dist; to  
Do. 16 " " " N 77 E. 31 " "

80.00 Set a post for the cor. of sec. 25 & 36. T. N. 4. N. R. N. 4 W.  
from which a Beech 4 in. diam. bears S 50 W. 4 links dist;  
and a Do. 4 " " " N 44 E. 13 " "  
making foot of hill lands. Timber Oak Beech, Sugar

North On the East Boundary of sec. 25. T. N. 4. N. R. N. 4 W.

40.00 Set a post for the cor. to 74 sec. from which a  
Logwood 4 in. diam. bears S 72 E. 44 links dist; to  
Do. 4 " " " N 82 E. 42 " "

44.44 To a Hick 7 14 in. diam. in the line.

63.00 " " Brook 7 links wide, Corner E.

68.10 To a Beech 14 in. diam. in the line.

79.67 Intersect the East & W. line 80 links East of the  
temporary post; & set a post for the cor. of sec 19 & 30. T.  
N. 4. N. R. N. 3 W. from which a  
Hick 7 14 in. diam. bears N 29 W. 40 links dist; to  
W Oak 36 " " " S 62 E. 13 " "

80.01 Set a post for the cor. of sec 24 & 25 T. N. 4. N. R. N. 4 W.  
from which a Hick 7 14 in. diam. bears N 81 W. 11 links dist;  
and a B. Oak 16 " " " S 44 E. 31 " "

265

T. N. 4. N. R. N. 3 W. 2<sup>nd</sup> Mer. (Ind. °,

Sand hills, meadowy soil. Timber Oak Hickory Birch

North On the East Boundary of sec. 24, T. N. 4. N. R. N. 4 W.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Beck 16 in diam. bears S 48 W. 50 huts dist; and  
 Loc 14 " " " " N 42 E. 18 " "  
 51.13 Intersect the Indian Boundary line and set a  
 post for the cor. of sec. 24, T. N. 4. N. R. N. 4 W. from which  
 a W. Oak 10 in diam. bears N 77 W. 28 huts dist; and a  
 Loc 18 " " " " S 79 E. 53 " "  
 Sand steep hills; thin soil, Timber Oak, Birch &  
 Hickory. The above named post stands 88 huts East  
 of the Indian post

Meanders of the Left Bank of White River in Sec.  
 32. Begun in the South Boundary of Sec. 32 thence upstream

N 49 W. 7.00  
 N 75 W. 10.00  
 S 45 W. 8.32  
 S 54.10 W. 8.65 To post on Indian line  
 West. 25. 1804.

Surveyed by  
 Geo. Barker. L.S.

T. N. 4. N. R. N. 3 W. 2<sup>nd</sup> Mer. In Harrison's Purchase  
 East Boundary. F27.

North On the East Boundary of sec. 36 T. N. 4. N. R. N. 3 W.  
 40.00 To old 1/4 sec. cor.  
 66.30 To a gum 12 in diam. stands in the line  
 80.00 Set a post for the cor. of sec. 25 & 36 from which a  
 Beck. 10 in diam. bears S 8 W. 43 huts dist; and a  
 Loc 12 " " " " South 27 " "



T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. Ind:

- North On the East Boundary of sec. 25 T. N<sup>o</sup> 4 N.R. N<sup>o</sup> 3 W.  
 27.00 To a Rock 10 links wide, corner W.  
 40.00 Set a post for the cor. to  $\frac{3}{4}$  sec. from which a  
 W Oak - in dir: bears S 62 E. 6 links dist; to  
 Ironwood 6 " " " N 15 E. 9 " "  
 58.00 Set a post on the Left Bk of White River for the cor.  
 of frac: sec. 25 from which a  
 W Ash 10 in. dir: bears S 57 W. 12 links dist; and a  
 Sugar 10 " " " N 51 E. 17 " "  
 Good farming lands; Timber Oak, Sugar, Poplar,  
 & J. Elm.  
 G. 32 63.86 To the Right Bank of White River a W Ash, 20 in.  
 dir: stands for the cor. of sec. 25.  
 80.00 Set a post for the cor. of sec. 24 & 25. T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 3 W.  
 from which a Buck 13 in. dir: bears N 10 E. 23 links dist.  
 and a Sycamore 60 " " " North 8 " "

- North On the East Boundary of sec. 24. T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 3 W.  
 40.00 Set a post for the cor. to  $\frac{3}{4}$  sec. from which a  
 Logwood 6 in. dir: bears N 44 W. 6 links dist; to  
 Buck 12 " " " East 5 " "  
 44.00 Set a post on the Right Bank of White River cor. of  
 sec. 24 T. N<sup>o</sup> 4 N.R. N<sup>o</sup> 3 W. from which a  
 Sycam 8 in. dir: bears S 16 W. 17 links dist; and a  
 76.00 Set a post on the Right Bank of White River. cor. of sec.  
 24. T. N<sup>o</sup> 4 N.R. N<sup>o</sup> 3 W. from which a  
 Walnut 10 in. dir: bears S 72 W. 19 links dist; and a  
 Red Bud 6 " " " N 40 E. 15 " "  
 80.00 Set a post for the cor. of sec. 13 & 24 from which a  
 Buck 10 in. dir: bears South 11 links dist; and a  
 Do. 10 " " " N 15 E. 13 " "  
 Lands rich; Timber Buck, Sugar, & Poplar.

267

T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 3 N. 2nd Mer. Ind<sup>o</sup>

North On the East Boundary of sec. 13. T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 3 N.  
 33.45 To a Buck. 20 in. diam. stands in the line  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
 Buck 12 in. diam. bears S 11 E. 17 links due; & a  
 Do. 6 " " " N 1 E. 16 " "  
 80.00 Set a post for the cor. of sec. 12 & 13. From which a  
 Sugar. 10 in. diam. bears S 27 N. 39 links due; & a  
 Buck 12 " " " N 12 7 N. 30 " "  
 Land hilly timber same as on the last mile

North On the East Boundary of sec. 12. T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 3 N.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a  
 W. Oak. 10 in. diam. bears S 47 E. 13 links due; and a  
 Do. 18 " " " S 62 7 N. 11 " "  
 61.60 To a W. Oak 20 in. diam. in the line.  
 80.00 Set a post for the cor. of sec. 10 & 12 from which a  
 W. Oak. 5 in. diam. bears S 31 E. 6 links due; & a  
 Do. 5 " " " N 89 7 N. 10 " "  
 Land hilly timber Oak, & Hick N. 7, some Poplar & Buck.

North On the East Boundary of sec. 1. T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 3 N.  
 5.57 To a Buck 18 in. diam. in the line.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a on a  
 cor. in a Buck 10 in. diam.  
 62.00 To a W. Oak 12 in. diam. in the line.  
 85.00 Set a post for the cor. of Towns 4, 4. & 55. N.R. N<sup>o</sup> 3 N.  
 from which a Buck 10 in. diam. bears S 7 E. 13 links due; & a  
 and a Maple 10 " " " N 28 E. 30 " "  
 Land soil and timber same as on the last mile.

\* in accompanying bearings

North Boundary

East On a Random line on the South Boundary of sec. 31. T. N<sup>o</sup> 4 N.  
 Range N<sup>o</sup> 3 N.

T. N<sup>o</sup> 4. N. R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. Ind<sup>o</sup>,

- 40.00 Set a trap<sup>1</sup> post for the cor. to  $\frac{1}{4}$  Sec.  
 80.00 Set a trap<sup>1</sup> post for the cor. of sec. 31 & 32. T. N<sup>o</sup> 5. N.  
 R. N<sup>o</sup> 3 W. Land, hilly and bushy Timber: Oak & Hick<sup>1</sup>

East On a Random line on the South Boundary of sec. 32. T. N<sup>o</sup> 5  
 N. R. N<sup>o</sup> 3 W.

- 40.00 Set a trap<sup>1</sup> post for the cor. to  $\frac{1}{4}$  Sec.  
 80.00 Set " " " " " " to sec. 32 & 33. T. N<sup>o</sup> 5. N.  
 R. N<sup>o</sup> 3 W. Land same as on the last mile.

East On a Random line on the South Boundary of sec. 33. T. N<sup>o</sup>  
 5. N. R. N<sup>o</sup> 3 W.

- 40.00 Set a trap<sup>1</sup> post for the cor. to  $\frac{1}{4}$  Sec.  
 80.00 " " " " " " " " to sec. 33 & 34. T. N<sup>o</sup> 5. N.  
 R. N<sup>o</sup> 3 W. Land hilly, Timber Oak & Hick<sup>1</sup>.

East On a Random line on the South Boundary of sec. 34. T.  
 N<sup>o</sup> 5. N. R. N<sup>o</sup> 3 W.

- 21.50 To a Brook 25 links wide, Course South.  
 40.00 Set a trap<sup>1</sup> post for the cor. to  $\frac{1}{4}$  Sec.  
 55.00 To a Brook 10 links wide, Course S W.  
 80.00 Set a trap<sup>1</sup> post for the cor. of sec. 34 & 35. T. N<sup>o</sup> 5. N.  
 R. N<sup>o</sup> 3 W. Land same as the last mile.

East On a Random line on the South Boundary of sec. 35  
 T. N<sup>o</sup> 5. N. R. N<sup>o</sup> 3 W.

- 40.00 Set a trap<sup>1</sup> post for the cor. to  $\frac{1}{4}$  Sec.  
 80.00 Set a trap<sup>1</sup> " " " " " " to sec. 35 & 36. T. N<sup>o</sup> 5. N.  
 R. N<sup>o</sup> 3 W.

East On a Random line On the South Boundary of sec. 36. T. N<sup>o</sup> 5  
 N. R. N<sup>o</sup> 2 W.

- 8.69 To a Brook 10 links wide, Course South.



269

T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. Ind<sup>o</sup>

- 40.00 Set a temp<sup>y</sup> post for the cor. to  $\frac{1}{4}$  Sec.  
 40.00 To a Brook. 150 yards wide, Comes —  
 85.69 Into 2<sup>nd</sup> the N<sup>o</sup> 8 Range line between Ranges. 213. W.  
 South of the Town cor.  
 Lands nothing Limited Poplar Oaks & Hick<sup>y</sup>

- West On the true line on the South Boundary of Sec. 36. T. N<sup>o</sup> 4.  
 N.R. N<sup>o</sup> 3 W. Var. 7° 18'  
 40.00 Set the temp<sup>y</sup> post on the true line for the cor. to  $\frac{1}{4}$  Sec. from  
 which a No bearings  
 80.00 Set the temp<sup>y</sup> post on the true line for the cor. to Sec. 35 & 36.  
 from which a Buck. 20 in. dist. bears S 56 E. 21 lbs dist.  
 and a Oak 8 " " " N 23 E 17 " "

- West On the true line on the South Boundary of Sec. 35. T. N<sup>o</sup> 4.  
 N.R. N<sup>o</sup> 3 W.  
 40.00 Set the temp<sup>y</sup> post on the true line for the cor. to  $\frac{1}{4}$  Sec. from  
 which a W. Oak. 20 in. dist. bears N 30 W. 55 lbs dist.  
 and a W. Oak. 40 " " " N 7 W. 42 " "  
 50.00 Set the temp<sup>y</sup> post on the true line for the cor. of Sec. 34 & 35.  
 from which a Logwoods 10 in. dist. bears S 19 W. 19 lbs dist.  
 and a Buck 8 " " " N 85 W. 23 " "

- West On the true line on the South Boundary of Sec. 34. T. N<sup>o</sup> 4.  
 N.R. N<sup>o</sup> 3 W.  
 40.00 Set the temp<sup>y</sup> post on the true line for the cor. to  $\frac{1}{4}$  Sec.  
 from which a W. Oak. 12 in. dist. bears S 79 W. 19 lbs dist.  
 and a Ironwood 6 " " " S 45 E. 13 " "  
 80.00 Set a post for the cor. of Sec. 33 & 34 on the true line.  
 from which a Sugar 5 in. dist. bears S 8 E. 6 lbs dist.  
 and a Buck. 10 " " " N 11 W. 15 " "

- West On the true line on the South Boundary of Sec. 33 T. N<sup>o</sup> 4.

## T. N. 4. N. R. N. 3 W. 2nd Mer. Ind. a.

- 40.00 Set the temp. post on the true line for the cor. to  $\frac{1}{4}$  sec. from which a Buck - in dia. bears N 74 W. 18 miles dist; and a Do. 12 " " N 27 W. 31 " "
- 80.00 Set the temp. post on the true line for the cor. to  $\frac{1}{4}$  sec. 331 33 T. N. 5 N. R. N. 3 W. from which a Buck 9 in. dia. bears S 37 W. 32 miles dist; and a Do. 7 " " N 39 W. 24 " "

West On the true line on the South Boundary of sec. 32 & 7. N. 5 N. R. N. 3 W.

- 40.00 Set the temp. post on the true line for the cor. to  $\frac{1}{4}$  sec. from which a B. Oak 12 in. dia. bears S 15 W. 30 miles dist; and a N. Oak 24 " " S 44 E. 36. " "
- 80.00 Set a post (temp.) on the true line for the cor. to  $\frac{1}{4}$  sec. 31032 from which a B. Oak 8 in. dia. bears N 83 E. 18 miles dist; and a Do. 8 " " N 60 W. 25 " "

West On the true line on the South Boundary of sec. 31. T. N. 5 N. R. N. 3 W.

- 40.00 Set the temp. post on the true line for the cor. to  $\frac{1}{4}$  sec. from which a B. Oak 20 in. dia. bears N 65 W. 4 miles dist; and a N. Oak 10 " " N 82 W. 18 " "
- 85.69 To the cor. of Towns 4. 4. & 5. 5. N. R. 3. & 4. W.

## West Boundary.

I 40

North On the East Boundary of sec. 24 T. N. 4. N. R. N. 2 W.

40.00 To the Old  $\frac{1}{4}$  sec. cor.

- 80.00 Set a post for the cor. to  $\frac{1}{4}$  sec. 13. & 24 from which a Poplar 10 in. dia. bears S 45 E. 8 miles dist; and a Buck 10 " " N 27 W. 14 " "
- Sum do hilly and (Bushy)

North On the East Boundary of sec. 13. T. N. 4 N. R. N. 4 W.

- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Dogwood 6 in. dia: bears S 8 E. 26 links due; & a  
do. 8 " " " N 87 W. 9 " "
- 80.00 Set a post for the cor. of sec. 12 & 13 from which a  
Cumn 10 in dia: bears N 52 W. 28 links due; and a  
do. 30 " " " North 28 " "  
Same same as in the last mile.

- North On the East Boundary of sec. 12. T. N<sup>o</sup> 4. N. R. N<sup>o</sup> 4 W.
- 8.50 To a W. Oak 12 in dia: in the line.
- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
W. Oak 10 in. dia: bears S 36 E. 31 links due; & a  
Dogwood 8 " " " N 36 W. 24 " "
- 80.00 Set a post for the cor. of sec. 1 & 12 from which a  
Dogwood 6 in. dia: bears S 3 E. 17 links due;  
Sand pit made timber same as last mile.

- North On the East Boundary of sec. 1. T. N<sup>o</sup> 4. N. R. N<sup>o</sup> 4 W.
- 17.50 To a W. Oak 12 in dia: in the line.
- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Dogwood 7 in dia: bears S 25 E. 9 links due; & a  
W. Oak 10 " " " N 69 W. 12 " "
- 80.00 Set a post for the cor. of Trms 4. 4. & 5. 5. N. R. N<sup>o</sup> 3 & 4  
W. from which a  
W. Oak 12 in. dia: bears N 32 E. 11 links due; and a  
Cumn 8 " " " S 36 E 24 " "  
Sand pit made timber same as the last mile.

### Subdivisions.

- North Between Sec. 35 & 36 T. N<sup>o</sup> 4 N. R. N<sup>o</sup> 3 W.
- 40.00 To the Old post set for the cor. to  $\frac{1}{4}$  sec.
- 80.00 Set a post for the cor. to sec. 35 & 36 from which a  
Buck 24 in. dia: bears S 15 W. 15 links due; and a



T. N. 4. N. R. N. 3 W. 2<sup>nd</sup> (Mn. Ind.)

4 Buck. 12 in. dist. bears N 47 W. 28 miles due S;  
 Sande hilly; Timber Oak, 7 Buck, 10

West Return Sec. 26 & 35 T. N. 4. N. R. N. 3 W.

40.00 Set a post for the cor. to 1/4 sec. 50 miles East of the Sec.  
 1/4 sec. cor.

80.00 To a sugar 12 in. dist. stands for the cor. of sec. 25, 27,  
 34 & 35, on Left Bank of White River.

East On a Random line between Sec. 25 & 36, T. N. 4. N. R. N. 3 W.

40.00 Set a temporary post for the cor. to 1/4 sec.

81.00 Set out the N & S line 95 miles North of the post cor. of  
 sec. 25 & 36. Sande hilly and stony; Timber the same  
 as last mile; thin soil.

West On the true line between Sec. 25 & 36 T. N. 4. N. R. N. 3 W.

40.50 Set the temporary post at the av. dist on the true line for  
 the cor. to 1/4 sec. From which

4 Buck 10 in. dist. bears N 61 W. 10 miles due S; and

No. 8, " " S 21 E. 9 " "

81.00 To the cor. of sec. 25, 26, 35 & 36.

North Return Sec. 25 & 26, T. N. 4. N. R. N. 3 W.

28.25 To a sugar 12 in. dist. stands on the line

40.00 Set a post for the cor. of 1/4 sec. From which

Loganwood 6 in. dist. bears S 65 W. 6 miles due S; 10

Buck. 6 " " " S 37 W. 12 " "

66.90 To a Buck 20 in. dist. on the line.

80.00 Set a post for the cor. of sec. 23, 24, 25 & 26 from which

Ironwood 8 in. dist. bears S 25 W. 12 miles due S; and

No. 7 " " " N 49 W. 4 " "

Sande hilly; Timber Buck, Oak, 5 Hick

273

T. N. 4. N. R. N. 377. 2<sup>nd</sup> Mer. Ind.

East Return Sep 24 & 25. T. N. 4. N. R. N. 377.  
 25.40 To a Mulberry 12 in. dia. stands for the cor. of sec. 24 & 25  
 on the Left Bank of White River.  
 Same same as last mile

North Return Sep. 23. & 24 T. N. 4. N. R. N. 377.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Suck 7 in dia. bears S10 E. 39 units due; & a  
 Buck 12 " " " N32 E. 24 " "  
 64.50 To a Buck 12 in dia. in the line.  
 80.00 Set a post for the cor. of sec. 13, 14, 23. & 24 from which a  
 Buck 10 in dia. bears S63 N. 23 units due; and a  
 Oak 10 " " " N3 E. 7 " "  
 Same the same as on the last mile.

North Return Sep. 13. & 14 T. N. 4. N. R. N. 377.  
 21.95 Set a post on the Left Bank of White River for the cor.  
 of frac. Sec. 13 & 14 from which a  
 Maple 10 in dia. bears N46 E. — units due; & a  
 Elm 10 " " " S24 N. 31 " "  
 Same level and rich;

East Return Sep. 13. & 24 T. N. 4. N. R. N. 377.  
 18.43 To an Elm 12 in. dia. which stands for the cor. to  
 frac. Sec. 13 & 24  
 Same the same as on the last mile. rich & level  
 Timber Walnut, Ash, & Poplar M. & Spruce

West Return Sep. 14 & 23 T. N. 4. N. R. N. 377.  
 6.25 To a Sugar 10 in. dia. in the line.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Sugar 10 in dia. bears N72 E. 39 units due; & a  
 Oak 9 " " " S28 N. 16 " "

## T. N. 4. N. R. N. 37. 2nd. Mer. Sur.

73.50 To and Elm 12 in. dia. stands for the cor. of sec. 14 & 23 on the River Bank

West Return Sec. 23 & 26 T. N. 4. N. R. N. 37.

40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 Beech 12 in. dia. bears S75E. 43 links and; to  
 Ho. 7 " " " N89W. 22 " "

58.00 Set a post on the Left Bank of White River for the  
 cor. of sec. 23 & 26 from which a  
 Beech 20 in. dia. bears S72E. 35 links and; to  
 Elm 20 " " " S14E. 20 " "  
 Lands rolling; Timber Oak, Beech & Poplar

West Return Sec. 13 & 24 T. N. 4. N. R. N. 37.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Gum 12 in. dia. bears S27E. 22 links and; to  
 Beech 12 " " " N52W. 29 " "

55.70 Set a post on the Left Bank of White River for the  
 cor. of tract Sec. 13 & 24 from which an  
 Elm 12 in. dia. bears N54W. 6 links and; and a  
 Ironwood 6 " " " S32E. 9 " "  
 Lands hilly and brushy

West Return Sec. 24 & 25 T. N. 4. N. R. N. 37.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Maple 6 in. dia. bears N49E. 7 links and; to  
 Ironwood 8 " " " N27W. 11 " "

47.00 Set a post on the Right Bank of White River for  
 the cor. of tract Sec. 24 & 25 from which a  
 Beech 24 in. dia. bears South 15 links and; to  
 Ho. 6 " " " N82W. 15 " "  
 Lands low and rich.

275

T. N<sup>o</sup> 4. N.W. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer Ind.

North Return Sec. 26 & 27 T. N<sup>o</sup> 4. N.W. N<sup>o</sup> 3 W.  
 40.00 Set apart for the cor. of '94 20.  
 80.00 Set apart for the cor. of sec. 22, 23, 26 & 27 from which  
 a Buck 10 in. dist. bears S 30 E. 20 miles; to  
 " 10 " " S 43 W. 28 " "  
 Lands rich and rolling; Summit Bush, Sugarbush

---

East Return Sec. 23 & 26 T. N<sup>o</sup> 4. N.W. N<sup>o</sup> 3 W.  
 21.62 Set apart on the Right Bank of White River for  
 the cor. of sec. 23 & 26. From which on  
 Immense 6 in. dist. bears N 39 W. - the creek; to  
 Buck 6 " " " S 24 E. 18 " "  
 Lands same as in the last mile.

---

North Return Sec. 22 & 23. T. N<sup>o</sup> 4. N.W. N<sup>o</sup> 3 W.  
 37.61 Set apart on the R<sup>ght</sup> Bank of White River for  
 the cor. of sec. 22 & 23. From which on  
 W. Ash 12 in. dist. bears N 67 W. 10 miles; to  
 Lynx 6 " " " S 67 E. 11 " "  
 40.00 On an Offset.  
 80.00 Set apart for the cor. of sec. 14 & 15 22 & 23. on the  
 Right Bank of White River from which on  
 W. Ash 12 in. dist. bears S 49 E. 15 miles; to  
 Buck 12 " " " S 76 W. 26 " "  
 Lands same as in the last mile.

---

North Return Sec. 14 & 15 T. N<sup>o</sup> 4. N.W. N<sup>o</sup> 3 W.  
 40.00 Set apart for the cor. of '94 20. From which on  
 Lynx 10 in. dist. bears N 8 W. 63 miles; to  
 80.00 Set apart for the cor. of sec. 10, 11, 14 & 15 from which on  
 Hick 12 in. dist. bears N 26 W. 21 miles; to  
 " 4 " " " S 27 E. 20 " "  
 Lands same as on the last mile.



T. N<sup>o</sup> 4. N. R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. (Ind.)

East On a Random line between Sec. 11 & 14 T. N<sup>o</sup> 4  
N. R. N<sup>o</sup> 3 W.

40.00 Set a temp<sup>y</sup> post for the cor. of  $\frac{1}{4}$  sec.

80.00 Set a temp<sup>y</sup> post for the cor. of sec. 11, 12, 13 & 14

East On a Random line between Sec. 12 & 13 T. N<sup>o</sup> 4 N.  
R. N<sup>o</sup> 3 W.

40.00 Set a temp<sup>y</sup> post for the cor. to  $\frac{1}{4}$  sec.

80.80 Enter cut the N & S line 75 miles South of the  
post cor. of sec. of sec. 12 & 13.

Sands hilly and so brushy Timber Oak, Hickory  
Poplar Ash, &c

West On the true line between Sec. 12 & 13. T. N<sup>o</sup> 4. N. R.  
N<sup>o</sup> 3 W.

40.20 Set the temp<sup>y</sup> post on the true line at the corner  
for the cor. to  $\frac{1}{4}$  sec. from which a No bearings  
taken

80.40 Set the temp<sup>y</sup> post on the true line for the cor. of  
Sec. 11, 12, 13 & 14 from which a

Poplar 10 in diam. bears S 2 E. 13 miles and  $\frac{1}{2}$  to

Loc. 10 " " " S 46 W. 15 " "

West On the true line between Sec. 11 & 14 T. N<sup>o</sup> 4. N. R. N<sup>o</sup> 3 W.

40.20 Set the temp<sup>y</sup> post at the corner. dash on the true  
line for the cor. to the  $\frac{1}{4}$  sec. from which a

Sum 20 in diam. bears S 36 E. 28 miles and  $\frac{1}{2}$  to

Beck 12 " " " N 55 W. 15 " "

80.40 To the post cor. of Sec. 10, 11, 14 & 15.

South Between Sec. 13 & 14 T. N<sup>o</sup> 4. N. R. N<sup>o</sup> 3 W.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec.

53.38 Set a post on the Right Bank of White River for the

I. N. 4 N.R. N. 3 W. 2nd Mer. Ind.°

277

cor of sec. 13 & 14 from which a  
 Elm 10 in. diam. bears S 24 W. 13 miles north; to  
 W Oak 10 " " " N 81 E. 4 " "  
 Land hilly and Bushy

North Return Sep. 11 & 12 I. N. 4 N.R. N. 3 W.

40.00 Set apart for the cor. to 1/4 sec. from which a  
 Sugar 10 in. diam. bears S 57 E. 12 miles north; to  
 Buck 12 " " " N 57 W. 12 " "

41.00 To a Brook 150 miles wide, Corner West.

80.00 Set apart for the cor. of sec. 1, 2, 11 & 12 from which a  
 Buck 6 in. diam. bears S 44 E. 13 miles north; and a  
 Elm 20 " " " N 61 W. 7 " "  
 Land same as in the last mile.

East On a Random line between Sep. 1 & 12 I. N. 4 N.  
 N. N. 3 W.

30.00 To a Brook 130 miles wide, Corner South.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.00 Intersect the N.S. line 30 miles North of the post  
 cor of sec. 1 & 12 Land same as in the last mile

West On the true line between Sep. 1 & 12 I. N. 4 N.R. N. 3 W.

40.00 Set the temporary post at the corr. dist on the true line  
 for the cor. to 1/4 sec. from which a  
 Buck 20 inches. diam. bears South 10 miles north;

80.00 To the post set for the cor. of sec. 1, 2, 11 & 12.

North Return Sep. 10 & 11 I. N. 4. N.R. N. 3 W.

23.00 To a Brook 150 miles wide, Corner West

40.00 Set apart for the cor. of 1/4 sec. from which a  
 W. Oak. 12 in. diam. bears N. 54 W. 4 miles north; to  
 Buck 10 " " " S 54 E. 12 " "

3-6

T. N<sup>o</sup> 4. N. W. N<sup>o</sup> 3 N<sup>o</sup> 2<sup>nd</sup> Mer. (Ind.)

- 43.00 To the above named Brook 150 links wide, Come E.  
 66.00 " " Same " " 150 " " " W.  
 80.00 Set a post for the cor. of sec. 2, 3, 10 & 11 from which  
 Maple 12 in. diam. bears N 15 E. 19 links dist; &  
 Beech 8 " " " S 15 W. 5 " "  
 Sand soil and timber Same as on the last mile.

- East On a Random line between Sec. 2 & 11 T. N<sup>o</sup> 4. N. W. N<sup>o</sup> 3 W.  
 12.50 To a Brook 150 links wide, Come South.  
 32.00 " Said do. 150 " " " N. W.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
 80.60 Intercept the N. & S. line 12 links South of the post  
 cor. of sec. 1, 2, 11 & 12  
 Sand soil and timber Same as on the last mile

- West On the true line between Sec. 2 & 11 T. N<sup>o</sup> 4. N. W. N<sup>o</sup> 3 W.  
 40.31 Set the temporary post at the above dist on the true line  
 for the cor. to  $\frac{1}{4}$  sec. from which  
 Beech 10 in diam. bears S 65 E. 7 links dist; to  
 Do. 8 " " " N 32 E. 18 " "  
 80.60 To the post cor. of sec. 2, 3, 10 & 11.

- North Between Sec. 27 & 28 T. N<sup>o</sup> 4. N. W. N<sup>o</sup> 3 W.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which  
 Poplar 10 in diam. bears S 21 E. 13 links dist; to  
 Oak 10 " " " N 15 W. 19 " "  
 80.00 Set a post for the cor. of sec. 21, 22, 27 & 28. from which  
 a Gum 20 in diam. bears S 23 E. 47 links dist; &  
 Sand. hilly and brushy; Timber Oak, Beech to

- East On a Random line between Sec. 22 & 27 T. N<sup>o</sup> 4. N. W. N<sup>o</sup> 3 W.  
 40.00 Set a post (temporary) for the cor. of  $\frac{1}{4}$  sec.  
 44.00 To a Brook 10 links wide, Come South.

81.12	Intersect the N.S. line 43 miles South of the post cor. of sec. 22, 23, 26 & 27. Sands same as on the last mile.
West 40.56	On the true line between Sec. 22 & 27 T. N <sup>o</sup> 4. N.R. N <sup>o</sup> 377. Set the temp. post at the av. dist. on the true line for the cor. to $\frac{1}{4}$ sec. from which a Logan oak — in dist. bears S 60 W 10 miles due; to — 10 " " " N 65 E 12 " " 81.13 To the post cor. of sec. 21, 22, 27 & 28.
North 40.00	Between Sec. 21 & 22 T. N <sup>o</sup> 4. N.R. N <sup>o</sup> 377. Set a post for the cor. of $\frac{1}{4}$ sec. from which a Beck 6 in. dist. bears N 15 E. 25 miles due; to Loc. 20, " " N 37 W. 66 " " 52.50 To a Poplar 20 in. dist. stands on the line. 57.30 To a Birch 10 miles due; corner N.W. 80.00 Set a post for the cor. of sec. 15, 16, 21 & 22. from which a Beck 8 in. dist. bears S 25 E. 9 miles due; to Loc. 12, " " N 57 W. 19, " Sands hilly and brushy
East 40.00	On a Random line between Sec. 15 & 22. T. N <sup>o</sup> 4. N.R. N <sup>o</sup> 377. Set a temp. post for the cor. of $\frac{1}{4}$ sec. 80.40 Intersected the N.S. line 18 miles North of the cor. of sec. 14, 15, 22 & 23. Sands same as on the last mile
West 40.20	On the true line between Sec. 15 & 22 T. N <sup>o</sup> 4. N.R. N <sup>o</sup> 377. Set the temp. post at the av. dist. on the true line for the cor. to $\frac{1}{4}$ sec. from which a Beck 20 in. dist. bears S 65 E. 32 miles due; to



T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 377. 2<sup>nd</sup> Mer. Sec<sup>o</sup>,

August 6 in dir. bears N19W. 8 links dist;  
8040 To the post cor. of sec. 15. 16. 21. & 22

North Return Sec. 15 & 16. T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 377.

4.50 To a Brook 150 links wide, Corner West.

4.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which

Buck 12 in dir. bears S31W. 19 links dist; and

Do. 10, " " S39E 8, "

80.00 Set a post for the cor. of sec. 9. 10. 15 & 16 from which

W. Oak 10 in dir. bears S30E. 28 links dist; and

W. Oak 12, " " N17W. 9, "

Same dir. and timber same as in the last mile.

East On a random line between Sec. 10 & 15 T. N<sup>o</sup> 4. N.R. 377.

40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec.

50.00 To a Brook 150 links wide, Corner South.

60.00 To said Brook 150 " " Corner from the N. Corner S.

80.80 Enter the N.R. line 22 links North of the post  
cor. of sec. 10. 11. 14. & 15

Same same as in the last mile.

West On the true line between Sec. 10 & 15 T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 377.

40.40 Set the temporary post at the av. dist. on the true line

for the cor. to the  $\frac{1}{4}$  sec. from which

B. Ash 12 in dir. bears N4E. 13 links dist; &

Buck 10, " " S11W. 31, "

80.80 To the post cor. of sec. 9. 10. 15 & 16.

North Return Sec. 9 & 10 T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 377.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which

Buck 6 in dir. bears S33E. 18 links dist; &

Do. 6, " " N83W. 19, "

40.50 To a Brook 25 links wide, Corner West.

T. N<sup>o</sup> 4 N.R. N<sup>o</sup> 37. 2<sup>nd</sup> Mer. Ind.

80.00 Set a post for the cor. of sec. 3, 4, 9 & 10 from which a  
Sug. 10 in dia. bears S33E 10 miles due; and a  
Do. 12 " " S65W 11 " "  
Sando Luno as in the last mile.

East On a Meridian line between Sec. 3 & 10 T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 37.

21.00 To a Rock 50 miles wide, Corner South.

40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec.

80.50 Intersect the N & S line 30 miles North of the post cor.  
of sec. 2, 3, 10 & 11 Sando Luno as in the last mile.

West On the true line between Sec. 3 & 10 T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 37.

40.25 Set the temporary post at the av. dist. on the true line  
for the cor. to  $\frac{1}{4}$  sec. from which a

Buck 12 in dia. bears S41E 26 miles due; & a

Wick 10 " " S1E 23 " "

80.50 To the post on the line cor. of sec. 3, 4, 9 & 10.

North Return Sec. 2 & 3, T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 37.

40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a

Buck 12 in. dia. bears N24E 37 miles due; & a

W. Oak 10 " " N5W 30 " "

84.66 Intersect the North Boundary at the cor. of sec. 35 &  
36 T. N<sup>o</sup> 5 N.R. N<sup>o</sup> 37.

Sando Luno as in the last mile.

North Return Sec. 1 & 2 T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 37.

40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a

Buck 10 in. dia. bears S17W 17 miles due; and a

Do. 10 " " N38W 28 " "

61.00 To a Rock 20 in dia. on the line

84.95 Intersect the N Boundary 43 miles East of the  
post cor. of sec. 35 & 36 T. N<sup>o</sup> 5 N.R. N<sup>o</sup> 37. & set a

T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. Sec.

Post for the cor. of sec. 1 & 3 from which  
Sugar 10 in dist. bears S 10 E. 22 links dist; to  
Beck 20 " " " S 66 W. 24 " "  
Same as rolling; Irons Beck and Oak

North. Between Sec. 3 & 4 T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 3 W.

40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which  
Sugar 12 in dist. bears N 7 W. 13 links dist; and a  
Oak 12 " " " N 20 E. 26 " "

84.37 Intersect the North Boundary 19 links West of the  
Post cor. of sec. 33 & 34. T. N<sup>o</sup> 5 N.R. N<sup>o</sup> 3 W. & set a  
Post for the cor. of sec. 3 & 4. from which  
Logan's Oak dist. bears S 6 W. 14 links dist; to  
Beck 10 " " " N 44 E. 22 " "  
Same as on the last mile.

North. Between Sec. 28 & 29 T. N<sup>o</sup> 4 N.R. N<sup>o</sup> 3 W.

40.00 To the Old  $\frac{1}{4}$  sec. Cor.

80.00 Set a post for the cor. of sec. 20, 21, 28, & 29 from which  
Oak 20 in dist. bears S 30 W. 15 links dist; to  
Beck 10 " " " N 39 W. 6 " "

West. On a Meridian line between Sec. 20 & 29 T. N<sup>o</sup> 4 N.R. N<sup>o</sup> 3 W.

1.50 To a Brook 150 links wide, Corner South.

40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec.

81.00 Intersect the N & S line at the post cor. of sec. 19, 20, 29,  
& 30 Same as on the last mile

East. On the true line between Sec. 20 & 29 T. N<sup>o</sup> 4 N.R. N<sup>o</sup> 3 W.

40.50 Set the temp<sup>y</sup> post at the corner dish on the true line for  
the cor.  $\frac{1}{4}$  sec. from which where the old  $\frac{1}{4}$  sec. cor.

81.00 To the cor. of sec. 20, 21, 28 & 29.

T. N<sup>o</sup> 4. N. R. N<sup>o</sup> 3. T. 2<sup>nd</sup> Mer. (Ind. C.)

East On a Random line between Sec. 21. & 28 T. N<sup>o</sup> 4. N. R. N<sup>o</sup> 3. T.  
 40.00 Set a temp<sup>y</sup> post for the cor. to  $\frac{1}{4}$  Sec.  
 45.00 To a Brook 10 miles wide, Corner South.  
 81.00 Intersect the N & S line 40 miles North of the post. cor.  
 of sec. 21. 22, 27. & 28.  
 Land rolling & Brushy

West On the true line between Sec. 21. & 28 T. N<sup>o</sup> 4. N. R. N<sup>o</sup> 3. T.  
 40.50 Set the temp<sup>y</sup> post at the app. dist. on the true line  
 for the cor. to  $\frac{1}{4}$  Sec. from which a  
 Buck 10 in. dia<sup>r</sup> bears S 70 W. 13 miles dist; & an  
 Elm 18 " " " S 84 E. 24 " "  
 81.00 To the post cor. of sec. 20. 21. 28. & 29.

North Between Sec. 20. & 21 T. N<sup>o</sup> 4. N. R. N<sup>o</sup> 3. T.  
 9.00 To a Brook 150 miles wide, Corner S. W.  
 40.00 An Ironwood Cor. dia<sup>r</sup> stands for the cor. to  $\frac{1}{4}$  Sec.  
 79.00 To a Brook 50 miles wide, Corner S. W.  
 80.00 Set a post for the cor. of sec. 16. 17. 20. & 21. from which a  
 B. Oak 10 in dia<sup>r</sup> bears S 67 W. 20 miles dist; and a  
 Do. 10 " " " N 11 W. 25 " "  
 Land hilly, Timber Oak, & Hick<sup>y</sup> & Buck &c.

East On a Random line between Sec. 16 & 21. T. N<sup>o</sup> 4. N. R.  
 N<sup>o</sup> 3. T.  
 40.00 Set a temp<sup>y</sup> post for the cor. to  $\frac{1}{4}$  Sec.  
 65.50 To a Brook 150 miles wide, Corner S. W.  
 80.60 Intersect the N & S line 88 miles North of the post  
 cor. of sec. 15. 16. 21. & 22, Land same as last mile.

West Between Sec 16 & 21. on a true line. T. N<sup>o</sup> 4. N. R. N<sup>o</sup> 3. T.  
 40.30 Set the temp<sup>y</sup> post at the app. dist. on the true line for  
 the cor. to  $\frac{1}{4}$  Sec. from which a



T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 37. 2<sup>nd</sup> Mer. (Ind.),

Back 20 in. dia: bears N10W. 6 links due;,  
80.60 To the post cor. of sec. 16. 17. 20 & 21.

North Return Sec. 16. & 17 T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 37.

26.00 To a Swamp

40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which  
Poplar 6 in. dia: bears N43W 19 links due; and  
Maple 8 " " " S41E. 18 " "

47.00 To the North Side of the Swamp.

80.00 Set a post for the cor. of sec. 8. 9. 16 & 17. from which  
Sugar 12 in. dia: bears North 24 links due; & a  
B Oak 20 " " " N34W. 25 " "

East On a Random line between Sec. 9. & 16 T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 37.

40.00 Set a post tripit for the cor. of  $\frac{1}{4}$  sec.

81.10 Enter sec. the N & S line 40 links North of the post cor.  
of sec. 9. 10. 15 & 16. Same same as in the last mile.

West On the true line between Sec. 9. & 16. T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 37.

40.55 Set the tripit post at the av. dia: in the true line for  
the cor. to  $\frac{1}{4}$  sec. from which.

Gum 10 in. dia: bears East. 1 link due;

81.10 To the cor. of sec. 8. 9. 16 & 17

North Return Sec. 8. & 9 T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 37.

34.00 To a Brook 25 links wide, Corner West.

40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which  
Bech. 10 in. dia: bears N82E. 12 links due; and  
B. Oak 18 " " " S30E. 12 " "

80.00 Set a post for the cor. of sec. 4. 5. 8. & 9 from which  
Sugar 10 in. dia: bears N14W. 24 links due; & a  
Oak 6 " " " S50E. 7 " "  
Same post and timber same as in the last mile.

## T. N. 4. N. R. N. 3 W. 2nd Mer. 1 Sec. 1,

East On a Random line between Sec. 4 & 9 T. N. 4. N. R. N. 3 W.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
 49.50 To a Brook 18 miles wide, corner South.  
 80.30 Enter out the N. 15 line 40 miles North of the post cor.  
 of sec. 3. 4. 9 & 10. Land same as last mile.

West On the true line between Sec. 4 & 9 T. N. 4. N. R. N. 3 W.  
 40.15 Set the temporary post at the cor. dist. on the true line  
 for the cor. to  $\frac{1}{4}$  sec. from which a  
 Dogwood 6 in. dia. bears S 33 E. 23 miles dist; & a  
 Sugar 12 " " " S 74 E. 37 " "  
 80.30 To the post cor. of sec. 4. 5. 8 & 9.

North Between Sec. 4 & 5 T. N. 4. N. R. N. 3 W.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 W. Oak 10 in. dia. bears N 2 E. 34 miles dist; & a  
 Birch 10 " " " N 79 E. 25 " "  
 82.73 Enter out the N. Boundary 25 miles West of the post  
 cor. of sec. 32 & 33 T. N. 5. N. R. N. 3 W. and set a post  
 for the cor. of sec. 4 & 5. from which an  
 Elm 6 in. dia. bears N 37 E. 24 miles dist; and a  
 Sugar 12 " " " N 6 W. 18 " "  
 Land soil and timber same as on the last mile.

North Between Sec. 19 & 20 T. N. 4. N. R. N. 3 W.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 W. Oak 8 in. dia. bears S 11 E. 33 miles dist; and a  
 Do. 6 " " " S 46 W. 38 " "  
 80.00 Set a post for the cor. of sec. 17. 18. 19 & 20 from which a  
 W. Oak 18 in. dia. bears S 14 W. 28 miles dist; and a  
 Do. 10 " " " N 54 E. 18 " "  
 Land hilly, thin soil and very brushy; Timber  
 Oak & Hickory.

T. N. 4 N. R. N. 37. 2<sup>nd</sup> Mer. (Ind.)

West Return Sep. 18 & 19 T. N. 4. N. R. N. 37.

40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which  
Sugar 12 in. dia. trees N 63 N. 31 miles due; & a  
Gum 7, " " N 17 N. 22 " "

56.00 To a Box 10 14 miles wide, Corner South.

80.33 Set a post on the West Boundary 100 miles South of the  
post cor. of sec. 13. & 24. T. N. 4. N. R. N. 4 N. from which  
W. Oak 20 in. dia. trees S 24 E. 14 miles due; and a  
Oak 12 " " " S 34 N. 21 " "  
Lands rolling Timber Oak, & Hickory.

East On a Random line between Sep. 17 & 20 T. N. 4. N. R. 37.

40.00 Set a temp. post for the cor. of  $\frac{1}{4}$  sec.

80.80 Enter cut the N. & S. line 45 miles North of the post cor.  
of sec. 16. 17. 20. & 21. Lands same as last ones.

West On the true line between Sep. 17 & 20. T. N. 4. N. R. 37.

40.40 Set the temp. post at the cor. due on the true line  
for the cor. to  $\frac{1}{4}$  sec. from which

Bech. 10 in. dia. trees N 88 N. 49 miles due; and a  
Oak 10 " " " N 74 E. 50 " "

80.80 To the post cor. of sec. 17. 18. 19 & 20.

North Return Sep. 17. & 18. T. N. 4. N. R. N. 37.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which

Sugar. 12 in. dia. trees N 70 E. 32 miles due; & a  
W. Oak 12, " " S. 57 N. 32 " "

82.00 Set a post for the cor. of sec. 7. 8. 17. & 18 from which made  
the cor. on a W. Oak 8 in. dia.  
Lands same as on the last mile.

East On a Random line between Sep. 8 & 17 T. N. 4. N. R. 37.

40.00 Set a temp. post on the Random line for  $\frac{1}{4}$  sec. cor.

287

I. N<sup>o</sup> 4. N.R. N<sup>o</sup> 3. W. Q. Mer. Ind<sup>o</sup>

57.00	To a Brook 50 miles wide, Corner S.W.
80.76	Intersect the N+S line 54 miles North of the post cor. of Sec. 8, 9, 16, & 17. Land seems as last mile.
West	On the true line between Sec. 8 & 17 I. N <sup>o</sup> 4. N.R. N <sup>o</sup> 3 W.
40.38	Set the temp <sup>y</sup> post at the above dist on the true line for the cor. to 1/4 Sec. from which
	Poplar 8 in. dia? bears West. 43 miles dist;
80.76	To the post cor. of Sec. 7, 8, 17 & 18.
North	Between Sec. 7 & 8 I. N <sup>o</sup> 4. N.R. N <sup>o</sup> 3 W.
20.00	Set a post for the cor. to 1/4 Sec. from which
	Sugar. 8 in. dia? bears N 12 E 25 miles dist; cedar
	Bush 10 " " " S 27 E. 5 " "
57.50	To a Large Spring, Corner S.E.
80.00	Set a post for the cor. of Sec. 5, 6, 7, 8, from which
	N. Oak. 10 in. dia? bears S 41 E. 46 miles dist; to
	Co. 12 " " " S 3 E. 65 " "
	Land hilly, Timber Oak, Birch, Hickory
East	On a Meridian line between Sec. 5 & 8 I. N <sup>o</sup> 4. N.R. N <sup>o</sup> 3 W.
27.50	To a Brook 10 miles wide, Corner S.E.
80.50	Intersect the N+S line 40 miles North of the post cor. of Sec. 4, 5, 8 & 9 Land seems as on the last mile
West	On the true line between Sec. 5 & 8 I. N <sup>o</sup> 4. N.R. N <sup>o</sup> 3 W.
40.25	Set the temp <sup>y</sup> post at the above dist on the true line for the cor. to 1/4 Sec. from which
	N. Oak. 10 in. dia? bears N 37 W. 18 miles dist; to
	Hickory 10 " " " S 22 W. 15 " "
80.50	To the post cor. of Sec. 5, 6, 7 & 8.
North	Between Sec. 5 & 6 I. N <sup>o</sup> 4. N.R. N <sup>o</sup> 3 W.



## T. N. 4 N. R. N. 3 W. 2. nd Merl Land.

40.00	Set a post for the cr. to $\frac{1}{4}$ sec. from which a Logmood 6 in. dia. beam N 10 E. 16 links dist; and a No. 6 " " " N 15 W. 17 " "
63.50	To a B. Oak 20 in. dia. in the line
81.30	Set a post on the N. Boundary 36 links West of the post Cr. of sec. 31 & 32 T. N. 5 N. R. N. 3 W. from which a B. Oak 18 in. dia. beam N 51 E. 16 links dist; and a W. Oak. 18 " " " S 7 E. 33 " " Sandy soil and timber same as in the last mile
West	Return Sec. 6 & 7. T. N. 4 N. R. N. 3 W.
40.00	Set a post for the cr. of $\frac{1}{4}$ sec. from which a Logmood 6 in. dia. beam N 28 W. 18 links dist; and a W. Oak 12 " " " N 44 E. 10 " "
84.00	Set a post on the West Boundary 25 links South of the cr. of sec. 1 & 2. T. N. 4 N. R. N. 4 W. from which a Logmood 6 in. dia. beam N 7 E. 7 links dist; and a W. Oak. 20 " " " S 13 E. 17 " " Sandy soil and timber same as last mile.
West	Return Sec. 17 & 18 T. N. 4 N. R. N. 3 W.
40.00	Set a post for the cr. of $\frac{1}{4}$ sec. from which a B. Oak 20 in. dia. beam N 62 W. 58 links dist; and a
47.50	To a Hick 12 in. dia. stands on the line.
83.10	To the cr. of sec. 12 & 13. T. N. 4 N. R. N. 4 W. on the W. Boundary Sandy very brushy. Set thin
Meander of the Left Bank of White River. Commencing in the Indian Boundary line in Sec 26. T. N. 4 N. R. N. 3 W. thence up stream	
N 35 E	31.60
N 14 E	16.50
N 28 W	19.10 To post on line of sec. 23 & 26.

T. N<sup>o</sup> 4. N.R. N<sup>o</sup> 37. 2<sup>nd</sup> Mer. Ind.

N 26 W	36.10	
N 36 W	18.50	In sec. 23 Left Bank
N 6 W	19.30	
N 37 E	14.40	To post in line of sec. 14 & 23. thence
N 47 E	18.50	
N 63 E	17.10	In sec. 14 Left Bank
N 84 E	23.65	
S 86 E	21.00	To post in line of sec. 14 & 23. thence
S 58 E	6.80	in sec. 13 Left Bank
S 18 E	13.00	To post in line of sec. 13 & 24. thence
S 37 W	23.80	
S 4 E	48.70	In sec. 24 Left Bank.
S 42 E	8.50	To post in the line of sec. 24 & 25. thence
S 42 E	(1) <u>6.40</u>	* Perhaps 10.40 as it would then close
S 62 E	23.50	
S 84 E	10.50	
N 77 E	12.00	To the post in the East Boundary of sec. 25
T. N <sup>o</sup> 4 N.R. N <sup>o</sup> 37		
Right Bank up stream from old boundary		
N 33 E	14.50	in Sec. 26
N 39 E	18.00	
N 13 E	13.00	
N 22 W	9.50	
N 31 W	10.34	to line between Sec. 23 & 26
N 28 W	33.00	in Sec. 23
N 36 W	10.42	to line between Sec. 22 & 23
N 35 W	6.00	in Sec. 22
N 9 W	25.00	to do
N 32 E	15.00	to line Cor. of Sec. 14, 15, 22 & 23

N41 E	14.50	in Sec 14
N51 E	11.00	
N61 E	13.00	
N71 E	14.00	
N82 E	16.50	
N86 E	15.50	
N88 E	6.85	to line between Sec. 13 & 14
S68 E	5.50	in Sec 13
S61 E	16.50	
S37 E	12.50	
S29 W	4.19	to line between Sec. 13 & 24
S29 W	25.50	in Sec 24
S9 E	5.00	
S4 E	36.50	
S14 E	7.00	
S30 E	7.50	to line between Sec. 24 & 25
S40 E	9.00	in Sec. 25
S50 E	5.50	
S60 E	12.50	
S75 E	8.50	
S85 E	7.00	
N75 E	11.45	to post in Range line
N41 W	7.00	from post on Range line E. side Sec. 24
N30 W	13.00	
N8 W	5.00	
N39 E	7.00	
N57 E	8.96	to post on Range line E. side Sec. 24

I certify that the foregoing transcripts of the field notes of Township N<sup>o</sup> 4. North of Range N<sup>o</sup> 3 West of the 2<sup>nd</sup> Mer. Indiana, has been compared with the original notes in this Office and found to be correct.

Surveyor General's Office,

Cincinnati, Nov. 25. 1840

E. P. Cairns

Sur. Genl.